

# SAFETY DATA SHEET

### 1. Identification

Product identifier Rapid set insulation Adhesive Part A

Other means of identificationNot available.Recommended useAdhesive.Recommended restrictionsNone known.

Manufacturer / Importer / Supplier / Distributor information

Manufacturer/Supplier: IB Roof Systems

2877 Chad Drive

Eugene, Oregon 97408

UE

**General Information:** 

800-426-1626

**Emergency:** 

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, inhalation Category 4

Skin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2ASensitization, respiratoryCategory 1Sensitization, skinCategory 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Specific target organ toxicity, repeated Category 2

exposure

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful

if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.

Precautionary statement

**Prevention** Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective

clothing/eye protection/face protection. In case of inadequate ventilation wear respiratory protection. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not

be allowed out of the workplace.

**Response** If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before

reuse.

**Storage** Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

Not classified.

Supplemental information

None

# 3. Composition/information on ingredients

### **Mixtures**

Rapid set insulation Adhesive Part A SDS US

Chemical name	me CAS number		
Polymethylene polyphenyl isocyanate	9016-87-9	30-60	
Methylene diphenyl diisocyanate	101-68-8	20-40	
Diisocyanate methylenediphenyl	26447-40-5	0-15	

**Composition comments** 

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Inhalation Immediately remove from further exposure. Get immediate medical assistance. For those

providing assistance, avoid exposure to yourself or others. Use adequate respiratory protection. Give supplemental oxygen, if available. If breathing has stopped, assist ventilation with a

mechanical device or use mouth-to-mouth resuscitation.

Skin contact Remove contaminated clothing. Wash immediately with soap and water for at least 15 minutes.

Get medical attention promptly if symptoms persist or occur after washing. Discard contaminated

shoes and clothing.

Eye contact Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open

eyelids wide apart. Get medical attention.

Ingestion Get medical attention if any discomfort occurs.

Most important

symptoms/effects, acute and delayed

Irritation of eyes and mucous membranes, Skin irritation, Sensitization, Wheezing, Difficulty in breathing. Ingestion may cause irritation and malaise.

Indication of immediate medical attention and special treatment needed

**General information** 

Provide general supportive measures and treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Dry chemical powder. Carbon dioxide (CO2). Foam.

None known.

must be worn in case of fire.

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire-fighting equipment/instructions During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus, operated in positive pressure mode and full protective clothing

Move containers from fire area if you can do so without risk.

### 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Avoid inhalation of vapors and contact with skin and eyes. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Collect and dispose of spillage as indicated in section 13 of the SDS. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Wipe up with absorbent material (e.g. cloth, fleece). Should not be released into the environment. Never return spills in original containers for re-use. Prevent product from entering drains.

**Environmental precautions** 

Prevent entry into waterways, sewer, basements or confined areas. Environmental manager must be informed of all major spillages.

### 7. Handling and storage

Precautions for safe handling

Avoid inhalation of vapors and contact with skin and eyes. Wear personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed original container. Store in a cool and well-ventilated place. Store away from incompatible materials.

# 8. Exposure controls/personal protection

# Occupational exposure limits

# US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

	Туре	Value
Methylene diphenyl diisocyanate (CAS 101-68-8)	Ceiling	0.2 mg/m3
Polymethylene polyphenyl isocyanate (CAS	Ceiling	0.02 ppm 0.2 mg/m3
9016-87-9)		0.02 ppm
US. ACGIH Threshold Limit	Values	
Components	Туре	Value
Methylene diphenyl diisocyanate (CAS 101-68-8)	TWA	0.005 ppm
Polymethylene polyphenyl isocyanate (CAS 9016-87-9)	TWA	0.005 ppm
*	Chemical Hazards: Ceiling Limit Valu	ue and Time Period (if specified)
Components	Туре	Value
Methylene diphenyl diisocyanate (CAS 101-68-8)	Ceiling	0.2 mg/m3
		0.02 ppm
Polymethylene polyphenyl isocyanate (CAS 9016-87-9)	Ceiling	0.2 mg/m3
,		0.02 ppm
US NIOSH Pocket Guide to	Chemical Hazards: Recommended ex	xposure limit (REL)
Components	Chemical Hazards: Recommended ex Type	xposure limit (REL) Value
Components  Methylene diphenyl diisocyanate (CAS	Туре	Value
Components  Methylene diphenyl diisocyanate (CAS 101-68-8)  Polymethylene polyphenyl isocyanate (CAS 9016-87-9)	Type TWA	Value 0.05 mg/m3 0.005 ppm 0.05 mg/m3 0.005 ppm
Components  Methylene diphenyl diisocyanate (CAS 101-68-8)  Polymethylene polyphenyl isocyanate (CAS 9016-87-9)  logical limit values	Type TWA TWA No biological exposure limits noted for	Value 0.05 mg/m3 0.005 ppm 0.05 mg/m3 0.005 ppm
Components  Methylene diphenyl diisocyanate (CAS 101-68-8)  Polymethylene polyphenyl isocyanate (CAS 9016-87-9)	Type TWA  TWA  No biological exposure limits noted for No exposure standards allocated.	Value  0.05 mg/m3  0.005 ppm 0.05 mg/m3  0.005 ppm or the ingredient(s).
Components  Methylene diphenyl diisocyanate (CAS 101-68-8)  Polymethylene polyphenyl isocyanate (CAS 9016-87-9)  logical limit values posure guidelines propriate engineering itrols	Type TWA  TWA  No biological exposure limits noted for No exposure standards allocated. General ventilation normally adequate Provide easy access to water supply	Value  0.05 mg/m3  0.005 ppm 0.05 mg/m3  0.005 ppm  or the ingredient(s).  e. Ensure adequate ventilation, especially in confined area and eye wash facilities.
Components  Methylene diphenyl diisocyanate (CAS 101-68-8)  Polymethylene polyphenyl isocyanate (CAS 9016-87-9)  logical limit values cosure guidelines propriate engineering itrols ividual protection measures,	Type TWA  TWA  No biological exposure limits noted for No exposure standards allocated. General ventilation normally adequate Provide easy access to water supply such as personal protective equipm	Value  0.05 mg/m3  0.005 ppm 0.05 mg/m3  0.005 ppm or the ingredient(s).  e. Ensure adequate ventilation, especially in confined area and eye wash facilities. ent
Methylene diphenyl diisocyanate (CAS 101-68-8)  Polymethylene polyphenyl isocyanate (CAS 9016-87-9)  logical limit values posure guidelines propriate engineering strols ividual protection measures, Eye/face protection	Type TWA  TWA  No biological exposure limits noted for No exposure standards allocated. General ventilation normally adequate Provide easy access to water supply such as personal protective equipm	Value  0.05 mg/m3  0.005 ppm 0.05 mg/m3  0.005 ppm or the ingredient(s).  e. Ensure adequate ventilation, especially in confined area and eye wash facilities.
Components  Methylene diphenyl diisocyanate (CAS 101-68-8)  Polymethylene polyphenyl isocyanate (CAS 9016-87-9)  logical limit values cosure guidelines propriate engineering itrols ividual protection measures,	TWA  TWA  No biological exposure limits noted for No exposure standards allocated.  General ventilation normally adequate Provide easy access to water supply such as personal protective equipm Wear approved chemical safety gogg	Value  0.05 mg/m3  0.005 ppm 0.05 mg/m3  0.005 ppm or the ingredient(s).  e. Ensure adequate ventilation, especially in confined area and eye wash facilities.  ent ples. Use face shield in case of splash risk.
Components  Methylene diphenyl diisocyanate (CAS 101-68-8)  Polymethylene polyphenyl isocyanate (CAS 9016-87-9)  logical limit values posure guidelines propriate engineering itrols ividual protection measures, Eye/face protection	TWA  TWA  TWA  No biological exposure limits noted for No exposure standards allocated.  General ventilation normally adequate Provide easy access to water supply such as personal protective equipm Wear approved chemical safety gogg  Wear appropriate chemical resistant of supplier. Be aware that the liquid may	Value  0.05 mg/m3  0.005 ppm 0.05 mg/m3  0.005 ppm or the ingredient(s).  e. Ensure adequate ventilation, especially in confined area and eye wash facilities.  ent gles. Use face shield in case of splash risk.  gloves. Suitable gloves can be recommended by the glove y penetrate the gloves. Frequent change is advisable.  wear and protective clothing appropriate for risk of exposure.
Methylene diphenyl diisocyanate (CAS 101-68-8)  Polymethylene polyphenyl isocyanate (CAS 9016-87-9)  logical limit values posure guidelines propriate engineering itrols ividual protection measures, Eye/face protection  Skin protection  Hand protection	TWA  TWA  TWA  No biological exposure limits noted for No exposure standards allocated. General ventilation normally adequate Provide easy access to water supply such as personal protective equipm Wear approved chemical safety gogg  Wear appropriate chemical resistant supplier. Be aware that the liquid may Wear chemical-resistant gloves, footy Contact chemical protective clothing of the first supplier in the protective clothing of the first supplication of the protective clothing of the first supplicable on the protective clothing of the protective clothi	Value  0.05 mg/m3  0.005 ppm 0.05 mg/m3  0.005 ppm or the ingredient(s).  e. Ensure adequate ventilation, especially in confined area and eye wash facilities.  ent ples. Use face shield in case of splash risk.  gloves. Suitable gloves can be recommended by the glove y penetrate the gloves. Frequent change is advisable.  wear and protective clothing appropriate for risk of exposure manufacturer for specific information.  In airborne concentrations below recommended exposure eptable level (in countries where exposure limits have not trator must be worn. In the United States of America, if all did be instituted to assure compliance with OSHA 29 CFR ng respirator with an appropriate, government approved
Methylene diphenyl diisocyanate (CAS 101-68-8)  Polymethylene polyphenyl isocyanate (CAS 9016-87-9)  logical limit values cosure guidelines propriate engineering trols ividual protection measures, Eye/face protection  Skin protection  Hand protection  Other	TWA  TWA  TWA  No biological exposure limits noted for No exposure standards allocated.  General ventilation normally adequate Provide easy access to water supply such as personal protective equipm Wear appropriate chemical safety gogg  Wear appropriate chemical resistant supplier. Be aware that the liquid may Wear chemical-resistant gloves, foote Contact chemical protective clothing of the first fengineering controls do not maintain limits (where applicable) or to an acceptable established), an approved respirespirators are used, a program shout 1910.134. Respirator type: Air-purifying the standard respirator shout the standard respirator type: Air-purifying the standard r	Value  0.05 mg/m3  0.005 ppm 0.05 mg/m3  0.005 ppm or the ingredient(s).  e. Ensure adequate ventilation, especially in confined area and eye wash facilities.  ent gles. Use face shield in case of splash risk.  gloves. Suitable gloves can be recommended by the glove y penetrate the gloves. Frequent change is advisable.  wear and protective clothing appropriate for risk of exposure manufacturer for specific information.  n airborne concentrations below recommended exposure eptable level (in countries where exposure limits have not irrator must be worn. In the United States of America, if ald be instituted to assure compliance with OSHA 29 CFR ng respirator with an appropriate, government approved cartridge or canister.

Rapid set insulation Adhesive Part A SDS US

## 9. Physical and chemical properties

**Appearance** Tan viscous liquid.

Physical state Liquid. Form Liquid. Color Tan.

Odor Faint aromatic. Not available. Odor threshold Not available. pН Not available. Melting point/freezing point Not available. Initial boiling point and boiling

range

> 350.0 °F (> 176.7 °C) Pensky-Martens Closed Cup Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

Flammability limit - upper

Not available.

Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Vapor density Not available.

Relative density 1.12

Solubility(ies) Reacts with water. Partition coefficient

(n-octanol/water)

Not available.

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available.

3200 - 11000 cP 75 °F) Viscosity

Other information

Percent volatile < 0.15

### 10. Stability and reactivity

Reactivity The product is stable and non reactive under normal conditions of use, storage and transport.

Chemical stability The product is stable under normal conditions of use, storage and transport.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Exposure to heat and contact with sources of ignition. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

During combustion: Carbon oxides. Nitrogen oxides.

products

# 11. Toxicological information

### Information on likely routes of exposure

Ingestion Ingestion may cause irritation and malaise.

Inhalation Causes respiratory tract irritation. May cause allergic respiratory reaction.

Skin contact Causes skin irritation. May cause sensitization by skin contact.

Eye contact Causes eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Sensitization. Wheezing, Difficulty in breathing, Irritation of eyes and mucous membranes. Skin

irritation. Ingestion may cause irritation and malaise.

Information on toxicological effects

SDS US Rapid set insulation Adhesive Part A

**Acute toxicity** Ingestion may cause irritation and malaise.

**Test Results** Components **Species** 

Methylene diphenyl diisocyanate (CAS 101-68-8)

Acute Inhalation

LC50 Rat > 2.24 mg/l, 1 Hours

Polymethylene polyphenyl isocyanate (CAS 9016-87-9)

Acute Inhalation

LC50 Rat 0.369 mg/l, 4 Hours

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eve irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Respiratory sensitization

Skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity Not classified. Not classified. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

3 Not classifiable as to carcinogenicity to humans. Diisocyanate methylenediphenyl (CAS 26447-40-5) Methylene diphenyl diisocyanate (CAS 101-68-8) 3 Not classifiable as to carcinogenicity to humans. Polymethylene polyphenyl isocyanate (CAS 9016-87-9) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Not classified.

Specific target organ toxicity -

single exposure

May cause respiratory tract irritation.

Specific target organ toxicity -

repeated exposure

May cause damage to the following organs through prolonged or repeated exposure: Respiratory

system.

**Aspiration hazard** Not classified.

**Chronic effects** May cause allergic respiratory and skin reactions.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

Expected to be persistent.

Bioaccumulative potential

The product is not expected to bioaccumulate.

Mobility in soil

Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Dispose in accordance with all applicable regulations. Do not allow runoff to sewer, waterway or

ground.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

Not regulated as a hazardous material by DOT.

IATA

Not regulated as a dangerous good.

**IMDG** 

Not regulated as a dangerous good.

Transport in bulk according to Annex II of MARPOL 73/78 and Not applicable.

the IBC Code

Rapid set insulation Adhesive Part A 914047 Version #: 01 Revision date: - Issue date: 10-September-2013

#### General information

The transportation information provided represents the regulatory transport classification of the product without consideration to packaging, quantity, or modal restrictions and exceptions. It is the user's responsibility to determine the appropriate packaging and modal requirements and/or limitations for the product quantity being shipped.

## 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Methylene diphenyl diisocyanate (CAS 101-68-8) LISTED Polymethylene polyphenyl isocyanate (CAS 9016-87-9) LISTED

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

> Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

**SARA 302 Extremely** hazardous substance

SARA 311/312 Hazardous

Yes

chemical

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Polymethylene polyphenyl isocyanate	9016-87-9	30-60	
Methylene diphenyl diisocyanate	101-68-8	20-40	

#### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Methylene diphenyl diisocyanate (CAS 101-68-8)

Polymethylene polyphenyl isocyanate (CAS 9016-87-9)

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

**Food and Drug** Not regulated.

Administration (FDA)

**US** state regulations WARNING: This product contains chemicals known to the State of California to cause cancer.

### US. Massachusetts RTK - Substance List

Methylene diphenyl diisocyanate (CAS 101-68-8) Polymethylene polyphenyl isocyanate (CAS 9016-87-9)

### US. New Jersey Worker and Community Right-to-Know Act

Methylene diphenyl diisocyanate (CAS 101-68-8) 500 lbs Polymethylene polyphenyl isocyanate (CAS 500 lbs

9016-87-9)

### US. Pennsylvania RTK - Hazardous Substances

Methylene diphenyl diisocyanate (CAS 101-68-8) Polymethylene polyphenyl isocyanate (CAS 9016-87-9)

#### **US. Rhode Island RTK**

Methylene diphenyl diisocyanate (CAS 101-68-8) Polymethylene polyphenyl isocyanate (CAS 9016-87-9)

### **US. California Proposition 65**

#### US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Acetaldehyde (CAS 75-07-0) Cobalt (CAS 7440-48-4) Furan (CAS 110-00-9) Propylene oxide (CAS 75-56-9)

## International Inventories

On inventory (yes/no)\* Country(s) or region Inventory name Australia Australian Inventory of Chemical Substances (AICS) Yes

Rapid set insulation Adhesive Part A SDS US

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

10-September-2013 Issue date

**Revision date** Version # 01

**Further information** I - Safety Glasses, Gloves, Dust, Vapor Respirator

**NFPA Ratings** 



References **ACGIH** 

EPA: Acquire database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

National Toxicology Program (NTP) Report on Carcinogens
ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

ESIS (European chemical Substances Information System)

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available.

Rapid set insulation Adhesive Part A 914047 Version #: 01 Revision date: - Issue date: 10-September-2013

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).



# SAFETY DATA SHEET

### 1. Identification

Product identifier Rapid set insulation Adhesive Part B

Other means of identificationNot available.Recommended useIndustrial use.Recommended restrictionsNone known.

Manufacturer / Importer / Supplier / Distributor information

Manufacturer/Supplier: IB Roof Systems

2877 Chad Drive Eugene, Oregon 97408

UE

**General Information:** 

800-426-1626

**Emergency:** 

# 2. Hazard(s) identification

Physical hazardsNot classified.Health hazardsSensitization, skin

OSHA defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** May cause an allergic skin reaction.

Precautionary statement

**Prevention** Avoid breathing mist or vapor. Contaminated work clothing should not be allowed out of the

 $work place. \ We ar \ protective \ gloves/protective \ clothing/eye \ protection/face \ protection.$ 

Category 1

**Response** If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

# 3. Composition/information on ingredients

### **Mixtures**

Chemical name	CAS number	% 1 - < 3	
Dimethyl silicone polymer with silica	67762-90-7		
Dipropylene glycol	25265-71-8	1 - < 3	
N-(3-(trimethoxysilyl)propyl)e thylenediamine	1760-24-3	1 - < 3	

**Composition comments**The components are not hazardous or are below required disclosure limits. All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation If symptomatic, move to fresh air. Get medical attention if symptoms persist.

**Skin contact**Wash skin with soap and water. Get medical attention promptly if symptoms occur after washing. **Eye contact**Any material that contacts the eye should be washed out immediately with water. If easy to do,

remove contact lenses. Get medical attention promptly if symptoms occur after washing.

**Ingestion** Seek medical advice.

Rapid set insulation Adhesive Part B SDS US

Most important

symptoms/effects, acute and

delayed

Sensitization.

uciayea

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

General information

In the case of accident or if you feel unwell, seek medical advice immediately (show the label

where possible).

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

No restrictions known.

Specific hazards arising from

the chemical

Combustion products include: Carbon oxides. Nitrogen Oxides (NOx). Cyanides. Organic acid

vapors.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters
Fire-fighting

equipment/instructions

Move container from fire area if it can be done without risk.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear appropriate personal protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste for proper disposal. Flush area with water. Prevent runoff from entering drains, sewers, or streams.

Dike for later disposal.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Observe good industrial hygiene practices. Wear appropriate personal protective equipment (See

Section 8).

Conditions for safe storage, including any incompatibilities

Keep container closed. Keep away from incompatible material.

### 8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

No exposure standards allocated.

Appropriate engineering

controls

Ensure adequate ventilation, especially in confined areas.

# Individual protection measures, such as personal protective equipment

Eye/face protection

If contact with material may occur, safety glasses and face shield are recommended.

Skin protection

Hand protection

Chemical resistant gloves are recommended. Be aware that the liquid may penetrate the gloves.

Frequent change is advisable.

Other

Wear chemical-resistant gloves, footwear and protective clothing appropriate for risk of exposure.

Contact glove manufacturer for specific information.

Respiratory protection

Not normally needed.

In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory

equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance Colorless viscous liquid.

Physical state Liquid.
Form Liquid.
Color Colorless.
Odor Polyether.

914049 Version #: 01 Revision date: - Issue date: 10-September-2013

Odor threshold Not available.

9 - 10 pН

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point > 350.0 °F (> 176.7 °C) Pensky-Martens Closed Cup

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Not available.

Flammability limit - lower

(%)

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available.

0.98 Relative density

Solubility(ies) Not available. Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. 3200 - 11800 cP Viscosity

Other information

Percent volatile < 0.15

# 10. Stability and reactivity

Reactivity The product is stable and non reactive under normal conditions of storage and transport.

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials. Elevated temperatures. Moisture.

Incompatible materials Strong oxidizing agents. Isocyanates. Water. Aluminum. Brass. Copper. Galvanized metals. Tin.

Zinc.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

Ingestion No harmful effects expected in amounts likely to be ingested by accident.

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation Skin contact Prolonged or repeated contact may dry skin and cause irritation. May cause sensitization by skin

contact.

Eye contact May cause temporary eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Sensitization.

# Information on toxicological effects

**Acute toxicity** Direct contact with eyes may cause temporary irritation.

Rapid set insulation Adhesive Part B 914049 Version #: 01 Revision date: -Issue date: 10-September-2013 Components Species Test Results

Dipropylene glycol (CAS 25265-71-8)

Acute

Other

LD50 Rat 10.56 g/kg

Skin corrosion/irritation Not classified.
Serious eye damage/eye Not classified.

irritation

Respiratory sensitization Not classified.

**Skin sensitization** May cause an allergic skin reaction.

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

Specific target organ toxicity - single exposure

Not classified.

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not applicable.

Chronic effects Not classified.

## 12. Ecological information

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

Dipropylene glycol (CAS 25265-71-8)

Aquatic

Fish LC50 Goldfish (Carassius auratus) >= 5000 mg/l, 24 hours

Persistence and degradability

Bioaccumulative potential

Mobility in soil

No data available.

Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Dispose of contents/container in accordance with local/regional/national/international regulations.

When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

### 14. Transport information

DOT

Not regulated as a hazardous material by DOT.

**IATA** 

Not regulated as a dangerous good.

IMDG

Not regulated as a dangerous good.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This substance/mixture is not intended to be transported in bulk.

## 15. Regulatory information

US federal regulations This product is hazardous according to OSHA 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

Yes

No

chemical

# SARA 313 (TRI reporting)

SARA 311/312 Hazardous

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug

Not regulated.

Administration (FDA)

**US state regulations** WARNING: This product contains a chemical known to the State of California to cause cancer.

### US. Massachusetts RTK - Substance List

Not regulated.

### US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

# US. Pennsylvania RTK - Hazardous Substances

Dipropylene glycol (CAS 25265-71-8)

### US. Rhode Island RTK

Not regulated.

## **US. California Proposition 65**

### US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Acetaldehyde (CAS 75-07-0) Cobalt (CAS 7440-48-4) Furan (CAS 110-00-9) Propylene oxide (CAS 75-56-9)

### International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)\*CanadaDomestic Substances List (DSL)NoCanadaNon-Domestic Substances List (NDSL)YesUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

**Issue date** 10-September-2013

Revision date - Version # 01

Further information I - Safety Glasses, Gloves, Dust, Vapor Respirator

Rapid set insulation Adhesive Part B
914049 Version #: 01 Revision date: - Issue date: 10-September-2013

### **NFPA Ratings**



References ACGIH

EPA: Acquire database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

ESIS (European chemical Substances Information System)

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

**Disclaimer** To the best of our knowledge, the information contained herein is accurate. However, neither the

above named supplier nor any of its subsidiaries assumes any liability whatsoever for

completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these

are the only hazards that exist.