



NOTES:

1. APPROVED IB FASTENER APPROPRIATE FOR PROJECT DECK TYPE.
2. FASTENER PULL TESTS RECOMMENDED TO CONFIRM ACCEPTABLE WITHDRAWAL RESISTANCE FASTENERS MUST ENGAGE THE STRUCTURAL DECK OR FRAMING SUPPORTS.
3. INSTALL IB TPO U-ANCHOR 2400 WITH APPROPRIATE NUMBER OF FASTENERS FOR THE DECK AND DESIGN REQUIREMENTS. FASTENERS MUST ENGAGE THE STRUCTURAL DECK OR FRAMING SUPPORTS.
4. IB TPO U-ANCHOR PLATES INSTALLED ON IB ROOF SYSTEMS PROJECTS ARE CONSIDERED PART OF THE PV SOLAR ASSEMBLY AND ARE NOT A COVERED COMPONENT OF THE IB WARRANTY.
5. RESPONSIBILITY FOR U-ANCHOR AND PV SOLAR ASSEMBLY DESIGN, LOAD CALCULATION, WIND RESISTANCE, ATTACHMENT AND PERFORMANCE REMAINS WITH OTHERS.

Scale: NTS	Detail Name: IB TPO U-Anchor 2400	Detail Number: T-PS-18
Submitted By: Address: Telephone:		Project: Address: